



*Centurion
Poultry, Inc.*



AQUILA

DUAL PURPOSE

FINAL PRODUCT

EGG PRODUCTION

AQUILA Female Grow & Production (6 – 52 weeks)

In case only the **AQUILA** male is used for meat and the female for egg production, please follow the chart below for females only:

Age in Weeks	Avg. Body Weight (g)	Daily Feed Intake (g)	Production HD %	Eggs Per HH
6	600			
7	700**	50**		
8	800			
9	900			
10	1000	60		
11	1100			
12	1200			
13	1300	70		
14	1450			
15	1550			
16	1650			
17	1750	90		
18	1850			
19	1950			
20	2050			
21	2150	110	5	0.35
22	2150		15	1.4
23	2250		35	3.9
24	2250	125	50	7.4
25	2250		60	11.6
26	2275		70	16.5
27	2275		75	21.7
28	2275		78	27.2
29	2275	135	80	32.8
30	2275		82	38.5
31	2300		83	44.3
32	2300		84	50.2
33	2300		83	56.0
34	2300		83	61.8
36	2300		82	67.5
38	2300		81	73.2
40	2325		80	78.8
42	2325		78	84.3
44	2325		77	89.7
46	2325		76	95.0
48	2325		75	100.2
50	2325		73	105.4
52	2350	135	72	110.4

** RESTRICT FEED WHEN BODY WEIGHT REACHES APPROX. 700 GRAMS.
(OR WHEN INTAKE REACHES 50 GRM / BIRD / DAY)

Weeks	Male target weight*		Female target weight*		Average feed intake	
	g	lbs	g	lbs	g	lbs/100
(Day 1)	45	0.1	45	0.1		
1	110	0.2	100	0.2	10	2.2
2	200	0.4	175	0.4	22	4.9
3	300	0.7	250	0.6	34	7.5
4	410	0.9	340	0.7	52	11.5
5	580	1.3	450	1.0	65	14.3
6	755	1.7	600	1.3	75	16.5
7	1045	2.3	795	1.8	90	19.8
8	1300	2.9	1000	2.2	100	22.0
9	1565	3.5	1170	2.6	110	24.3
10	1840	4.1	1325	2.9	115	25.4
11	2070	4.6	1475	3.3	125	27.6
12	2350	5.2	1650	3.6	135	29.8



